

SAFETY DATA SHEET

EFFECTIVE DATE: 12/01/15

ITEM: Locator Plus 4 Signal Kit Canadian Locate Kit / 4 Canadian Locate-6

PART

UPC

534	077403093342
537	077403105373
594	077403913213

CONTENTS:

Marine Hand Held Red Flare (HHRF) SDS

SHIPPING INFORMATION

Signal Devices, Hand 1.4S, UN0373, PG II (ERG 114) EX8604106



SAFETY DATA SHEET

Marine H	land Held Red	Flare (HHRI	-)				
	Use: Emergency			e Advised Ag	gainst:	Do not use in	doors or inside of a vehicle
Manufactu	urers Information		ty Products				
		3157 North		EMERGENCY CHEMTRE			CHEMTREC
		Peru, IN 46					1-800-424-9300
		US 1-800-					
		. ,	765-472-4375				
	ards Identificat	ion					
	sifications						
Explosive Skin Irritation		Category 1.4 Category 2	H204 H315		Perchin	orate Material - sn	ecial handling may apply,
Eve Irritation		Category 2A	H319				ardouswaste/perchlorate.
	ated Exposure	Category 3	H335			•	•
GHS Labe	el Elements						
Pictograms				Hazard Statem	ients		
				H204		ojection hazard	
	\wedge			H315 H319		kin irritation erious eye irritation	
				H335	May cause	e respiratory irritation	n
	\sim \sim				,		
Signal Word	Warning						
Precautionar				P301/315			diate medical advice /attention.
P103	Keep out of reach of c			P302/352			ty of soap and water.
P210	Keep away from heat/ No smoking.	sparks/open flame	es/hot surfaces	P304/340/342			n to fresh air and keep at rest in a position experiencing respiratory symptoms: Call
P232	Protect from moisture				POISON	CENTER or doctor	/physician.
P261	Avoid breathing dust/f	ume		P305/338/351	IF IN EY	ES: Rinse cautious	ly with water for several minutes. Remove
P264	Wash hands thorough	nly after handling.		D000/040	contact le	enses, if present an	d easy to do. Continue rinsing.
P270	Do not eat, drink or sr			P333/313			rs, get medical advice/attention.
P271 P280	Use only outdoors or i Wear protective eye p		area.	P501	regulatio		ner in accordance with local and nationa
P280 P370	In case of fire: use wa				regulatio	/15	
	in case of fire, ase wa	ner ueluge					

Component	CAS #	EINCS #	%age
trontium Nitrate	10042-76-9	233-131-9	>50%
ulfur	7704-34-9	231-722-6	<25%
otassium Perchlorate	7778-74-7	231-912-9	<20%
plyethylene	9002-88-4	none	<5%
otassium Chlorate	3811-04-9	231-100-4	<5%

4. First Aid Measures

Description of first aid measures		
Inhalation	If contents are inhaled, remove to fresh air. medical aid immediately.	Watch for signs of allergic reaction. If other symptoms develop, get
Skin	If contents are contacted, wash with area w wash before reuse. Get medical aid if irritat	vith soap and water for 15 minutes. Remove contaminated clothing and ion occurs.
Eyes	If contents get into eye, flush with plenty of Remove contact lenses if easily possible.	water for at least 15 minutes, occasionally lifting the upper and lower lids Set medical aid immediately.
Ingestion	Get medical aid immediately.	
Most important symptoms and eff	ects both acute and delayed	See section 2 labeling and section 11
Indication of any immediate medic needed	al attention and special treatment	No data available



5. Firefighting Measures		
Extinguishing Media Weter deluge	Unquitable Extinguishing Media	Foam and dry chemical extinguishers and

Extinguishing Media	water deluge	Unsultable Extinguishing media	suffocation are ineffective.
Protective Equipment and Precautions for Firefighters	in the pressure demand of	ng and NIOSH-approved self-contained breath r other positive pressure mode. Prevent furthe r. Combat fire from a sheltered position.	
Specific Hazards Arising from the Chemical Further information	Flame and sparks are eje body or flammable mater No data available	cted out the open end of the flare when it functial.	ions. Do not point flare at any part of the

6. Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency Procedures

Do not breathe smoke or contents and avoid contact with skin and eyes. Wear flame retardant clothing with long sleeves, dust mask, rubber or nitrile gloves, safety goggles, safety shoes when cleaning up contents. Avoid friction on the released product. Keep away from ignition sources.

Environmental Precautions

Prevent dispersion of contents on soil and in water. Prevent contents from spreading or entering into drains, ditches, groundwater or rivers by using appropriate barriers.

Methods for Containment and Clean-up

Use caution when cleaning up spilled contents. Remove heat, flames, sparks and other sources of ignition. Use non-sparking tools and equipment. Prevent buildup of electrostatic charges by grounding. Clean spills in a manner that does not disperse dust into the air. When cleaning up contents, use local and/or general exhaust. Clean up avoiding dust generation and place in a well identified container. Do not absorb in sawdust or other combustible absorbents. Wash away remainder with plenty of water. Collect wash water for approved disposal.

7. Handling and Storage

0 0	
Precautions for Safe Handling	Hold and point signal away from body when igniting. Hold signal downwind when burning. Avoid breathing
-	smoke. Avoid contact with clothing and other combustible materials. Use outdoors only! Do not ignite or burn
	product inside a vehicle, boat cabin or building. Wash thoroughly after handling. Remove contaminated
	clothing and wash before reuse. Avoid contact with skin and eyes. Avoid contact with heat sparks, and flame.
	Signals should be allowed to burn to completion. Unburned and partially burned signals contain potassium
	perchlorate which should not be allowed to come into contact with surface and ground water. Perchlorate
	Material – special handling may apply. See www.dtsc.ca.gov/hazardouswaste/perchlorate .
Conditions for Safe Storage,	Store in a dry place away from direct sunlight, heat and incompatible materials. Store away from food and
Including Any Incompatibilities	beverages. Store away from flammable materials, sources of heat, flame and sparks. Store at ambient
including first incompatibilities	temperature. Do not store partially burned signals in a vehicle, boat, closed container, warehouse, or any other
	building

8. Exposure Controls / Personal Protection

Control parameters		
Exposure Limits	OSHA PEL	ACGIH TLV
Strontium Nitrate	Not established	Not established
Sulfur	Not established	Not established
Potassium Perchlorate	Nuisance dust 15 mg/m ³	Nuisance dust 15 mg/m ³
Polyethylene	15 mg/m3 TWA	10 mg/m3 TWA
Potassium Chlorate	Not established	Not established
Exposure controls		
Engineering Controls	Use product outdoors only! When cleaning up conter	nts, use local and/or general exhaust.
Personal Protective Equipment Eye / Face Protection	Safety glasses or goggles	
Skin Protection	None under normal conditions when using product ur protective clothing, including gloves, boots, and a lab cleaning up spilled product. Wash hands and face be	coat, apron or coveralls, as appropriate, when
Respiratory Protection	None under normal conditions when using product. A may be worn during the cleanup of spilled contents.	a particulate respirator (NIOSH t N95 or better filters)
General Hygiene	Use product outdoors away from combustible product showers and eye wash stations should be available. handling of hazardous materials. Maintain good hous	Educate and train employees in the safe use and

9. Physical and Chemical Properties

Appearance (color, pl	hysical form, shape):	Grey powder			
pH:	No data available	Melting Point:	No data available	Solubility:	No data available
Boiling Point / Range:	Not applicable	Freezing Point:	Not applicable	Evaporation Rate:	Not applicable
Vapor Pressure:	Not applicable	Specific Gravity	Not applicable	Vapor Density:	Not applicable
Odor:	No data available	Odor Threshold:	No data available	Flash Point:	Not available
Flammability:	No data available	Flammability Limits:	No data available	Relative Density:	No data available
Partition Coefficient:	No data available	Viscosity:	No data available	-	
Auto Ignition Temperature: No data available		e	Decom	position Temperature:	No data available



10. Stability and Reactivity			
Chemical Stability Stable Reactive	ity: No information available	Possibility of Hazardous Reactions	Hazardous polymerization will not occu
Conditions to Avoid	Incompatible Mater		us Decomposition Products
	Strong acids, strong fuels, ammonia	salts, and strong Carbon mor	oxide, carbon dioxide, sulfur oxides,
and other sources of ignition. Moisture.	bases.		and nitrogen oxides.
11. Toxicology Information			
Ingredient acute toxicity information			
Toxicology	Oral LD50	skin LD50	LC50
Strontium Nitrate	Rat: 1892 mg/kg	not stated	not stated
Sulfur	Rat: 5050 mg/kg	Rat:>2020 mg/kg	Rat:>5.49 mg/L air concentration
Potassium Perchlorate	Rat: 2100 mg/kg	not stated	not stated
Polyethylene	Rat: 4000 mg/kg	not stated	not stated
Potassium Chlorate	Rat: 1870 mg/kg	2000 mg/kg (Rabbit)	No information found
Product toxicological information			
Acute Toxicity	,	timate yields oral LD ₅₀ over 5000 mg	0
Skin Irritation / Corrosion	8,9	ents classified as a Category 2 skin i	
Serious Eye Damage / Irritation	0) 0	lients classified as a Category 2A ey	
Respiratory / Skin Sensitization		data, the classification criteria are n	,
Germ Cell Mutagen		data, the classification criteria are n	
Carcinogen	Not classified (Based on available	data, the classification criteria are n	ot met)
Reproductive Toxicity	Not classified (Based on available	data, the classification criteria are n	ot met)
STOT – single exposure	Not classified (Based on available	data, the classification criteria are n	ot met)
STOT – repeated exposure	Category 3 – respiratory over 2	10% of ingredients classified as a Ca	ntegory 3 respiratory STOT hazard
Aspiration Hazard	Not classified (Based on available	data, the classification criteria are n	ot met)
Likely routes of exposure	Skin, ingestion, inhalation		
Symptoms related to the physical, chemic	cal and Contents irritating to e	eyes due to chemical and physical p	roperties of the mixture. Ingestion of
toxicological characteristics			, vomiting and diarrhea. Individuals with
-		lfide drugs may also have allergic re	
Delayed and immediate effects and chror		or smoke from burning flare will cau	
effects from short and long term exposur	•	d or repeated skin contact with conte	ents may cause dermatitis.
Interactive effects	No information found		

12. **Ecological Information**

Ingredient toxicity / persistence / degradability / bioaccumulation / mobility in soil and water

Aquatic Toxicity	<u>Potassium Chlorate:</u> fish: LC50 oncorhynchus mykiss (rainbow trout) 1750 mg/l – 96 hr, EC50 daphnia magna (water flea) 1093 mg/l 24 hr
	Strontium Nitrate: Acute toxicity - Fishes, Carassius auratus, LC100, 9,615 mg/l; Chronic toxicity - Fishes, Gasterosteus acuteatus, LC100, 2.912 mg/l
	<u>Sulfur</u> : Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - > 180 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) – > 5,000 mg/l - 48 h
Persistence / Degradability	No information found
Bioaccumulation / Accumulation	No information found
Mobility in Environmental Media	Strontium Nitrate: Water considerable solubility and mobility; Soil/sediments non-significant adsorption.
Other adverse effects	No information found

13. Disposal Considerations (for spills and leakage)

yes

yes

no

no

no

no

Dispose of contaminated product and materials used in cleaning up spills or leaks in the manner approved for pyrotechnic material. Consult appropriate federal, state, and local regulatory agencies to ascertain proper disposal procedures. Open burning is preferred method of disposal for pyrotechnic materials. Refer to California Code of Regulations, Title 33, Sections 67384.1-67384.10 for additional information on handling and disposal of potassium perchlorate containing materials.

14. Transportat	ion Inf	ormatio	ı								
	ID Num	ber	shipping r	name	hazard	class	packing g	roup	EX Number	Reportab	le Quantities
Domestic & International	UN03	73 Sigi	nal Device	s, Hand	1.4	1.4S II EX-8604106		none			
Marine Pollutant: no Special precautions for user: No information available											
15. Regulatory Information											
US Regulations	TSCA	CERCLA	CWA	CAA	SARA 313	SARA 302	Acute	Chronic	: Fire	Reactivity	Pressure
Strontium Nitrate	yes	no	no	no	yes	no	yes	no	no	yes	no
Sulfur	ves	no	no	no	no	no	yes	no	yes	no	no
	,						,		,		nu

no

no

no

no

no

yes

no

no

no

no

no

yes

Polyethylene

Potassium Chlorate

no

no

no

no



US States	Prop 65	NJ	PA	Canada	WHMIS	DSL	Europe	wgk
Strontium Nitrate	no	1743	no		C Oxidizing materials D1B Toxic materials D2B Toxic materials	yes		2
Sulfur	no	1757	yes		B4 Flammable solid D2B Toxic materials	yes		1 / nwg
Potassium Perchlorate	no	1577	yes		C Oxidizing materials D1B Toxic materials	yes		1
Polyethylene	no	no	no		Not controlled	yes		not listed
Potassium Chlorate	no	1560	yes		C Oxidizing materials D1B Toxic materials	yes		2

16. **Other Information**

Revision	Information.	May 2015

NFPA Rating		HMIS Rating		Key / Legend: HMIS: hazardous material identification system	TSCA: toxic substance control act - US CERCLA: comprehensive environmental response	
Flammability	2	Flammability 1 NFPA: national fire protection association CAS: Chemical Abstracts Service number	NFPA: national fire protection association CAS: Chemical Abstracts Service number	compensation and liability act – US CWA: clean water act - US CAA: clean air act - US		
Health	2	Health	3	EINECS: European inventory of existing chemical substances	SARA: superfund amendments and reauthorization	
Reactivity	1	Physical Hazard	1	OSHA PEL: occupational safety and health administration permissible exposure limit NIOSH TLV: national institute of occupational safety and health Threshold Limit Value NTP: National Toxicology Program IARC: International Agency for Research on Cancer	PROP 65: California's Proposition 65 list WHMIS: workplace hazardous materials information system - Canada DSL: Domestic Substances List - Canada WGK: water hazard classes - Germany	

Legal Statement This information is accurate to the best knowledge Orion Safety Products. Orion Safety Products makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability or fitness for a particular purpose, with respect to the information set forth herein or the product to which the information refers. Accordingly, Orion Safety Products will not be responsible for damages resulting from use of or reliance upon this information. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.